




STA. 100+00.00 TO STA. 108+00.00



MATCHLINE STA 108+00

MATCHLINE STA 118+00

NOTE: PROPOSED STRIPING AND RESURFACING LIMITS SHOWN MATCH THE EXISTING EDGE OF PAVEMENT FROM THE AERIAL AND MAY NOT CONVEY ACCURATE INFORMATION. ENGINEER WILL FIELD VERIFY

LEGEND	
(A) THERMO-6 IN W	(G) THERMO STR ARROW
(A1) THERMO-6 IN W (DASHED)	(H) THERMO CURV ARROW
(B) THERMO-6 IN Y	(I) THERMO COMB ARROW
(B1) THERMO-6 IN Y (SOLID+DASHED)	(J) THERMO "ONLY"
(B2) THERMO-6 IN Y (DOUBLE)	(K) THERMO "BUS"
(C) THERMO DOTTED LANE EXTEN (W)	(L) THERMO CONE CAP-SOLID YELLOW
(C1) THERMO DOTTED LANE EXTEN (Y)	(M) THERMO CHEVRON (1":10')
(D) THERMO X-WALK-6 IN	(N) THERMO-12 IN W
(E) THERMO CROSS-HATCH (1":10')	(N1) THERMO-12 IN W (DASHED)
(F) THERMO STOP BAR-24 IN	




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS




DRAWING TITLE: US 25 PLAN SHEET

STA. 108+00.00 TO STA. 118+00.00



ITEM NO.	COUNTY OF
	BOONE
SHEET NO.	
R002	




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS



DRAWING TITLE: US 25 PLAN SHEET

STA. 118+00.00 TO STA. 128+00.00




ITEM NO.

COUNTY OF

SHEET NO.

R003

BOONE/KENTON



LEGEND	
(A) THERMO-6 IN W	(G) THERMO STR ARROW
(A1) THERMO-6 IN W (DASHED)	(H) THERMO CURV ARROW
(B) THERMO-6 IN Y	(I) THERMO COMB ARROW
(B1) THERMO-6 IN Y (SOLID+DASHED)	(J) THERMO "ONLY"
(B2) THERMO-6 IN Y (DOUBLE)	(K) THERMO "BUS"
(C) THERMO DOTTED LANE EXTEN (W)	(L) THERMO CONE CAP-SOLID YELLOW
(C1) THERMO DOTTED LANE EXTEN (Y)	(M) THERMO CHEVRON (1":10')
(D) THERMO X-WALK-6 IN	(N) THERMO-12 IN W
(E) THERMO CROSS-HATCH (1":10')	(N1) THERMO-12 IN W (DASHED)
(F) THERMO STOP BAR-24 IN	




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS



DRAWING TITLE: US 25 PLAN SHEET

STA. 128+00.00 TO STA. 138+00.00



SHEET NO.	COUNTY OF
R004	KENTON



LEGEND	
(A) THERMO-6 IN W	(G) THERMO STR ARROW
(A1) THERMO-6 IN W (DASHED)	(H) THERMO CURV ARROW
(B) THERMO-6 IN Y	(I) THERMO COMB ARROW
(B1) THERMO-6 IN Y (SOLID+DASHED)	(J) THERMO "ONLY"
(B2) THERMO-6 IN Y (DOUBLE)	(K) THERMO "BUS"
(C) THERMO DOTTED LANE EXTEN (W)	(L) THERMO CONE CAP-SOLID YELLOW
(C1) THERMO DOTTED LANE EXTEN (Y)	(M) THERMO CHEVRON (1":10')
(D) THERMO X-WALK-6 IN	(N) THERMO-12 IN W
(E) THERMO CROSS-HATCH (1":10')	(N1) THERMO-12 IN W (DASHED)
(F) THERMO STOP BAR-24 IN	

NOTE: PROPOSED STRIPING AND RESURFACING LIMITS SHOWN MATCH THE EXISTING EDGE OF PAVEMENT FROM THE AERIAL AND MAY NOT CONVEY ACCURATE INFORMATION. ENGINEER WILL FIELD VERIFY




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS



DRAWING TITLE: US 25 PLAN SHEET


STA. 138+00.00 TO STA. 148+00.00



ITEM NO.	COUNTY OF KENTON
SHEET NO.	R005

MATCHLINE STA 148+00

MATCHLINE STA 158+00



LEGEND	
(A) THERMO-6 IN W	(G) THERMO STR ARROW
(A1) THERMO-6 IN W (DASHED)	(H) THERMO CURV ARROW
(B) THERMO-6 IN Y	(I) THERMO COMB ARROW
(B1) THERMO-6 IN Y (SOLID+DASHED)	(J) THERMO "ONLY"
(B2) THERMO-6 IN Y (DOUBLE)	(K) THERMO "BUS"
(C) THERMO DOTTED LANE EXTEN (W)	(L) THERMO CONE CAP-SOLID YELLOW
(C1) THERMO DOTTED LANE EXTEN (Y)	(M) THERMO CHEVRON (1':10')
(D) THERMO X-WALK-6 IN	(N) THERMO-12 IN W
(E) THERMO CROSS-HATCH (1':10')	(N1) THERMO-12 IN W (DASHED)
(F) THERMO STOP BAR-24 IN	

NOTE: PROPOSED STRIPING AND RESURFACING LIMITS SHOWN MATCH THE EXISTING EDGE OF PAVEMENT FROM THE AERIAL AND MAY NOT CONVEY ACCURATE INFORMATION. ENGINEER WILL FIELD VERIFY.




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS



DRAWING TITLE: US 25 PLAN SHEET

STA. 148+00.00 TO STA. 158+00.00



ITEM NO.	COUNTY OF KENTON
SHEET NO.	R006

MATCHLINE STA 158+00

MATCHLINE STA 168+00

LEGEND	
(A) THERMO-6 IN W	(G) THERMO STR ARROW
(A1) THERMO-6 IN W (DASHED)	(H) THERMO CURV ARROW
(B) THERMO-6 IN Y	(I) THERMO COMB ARROW
(B1) THERMO-6 IN Y (SOLID+DASHED)	(J) THERMO "ONLY"
(B2) THERMO-6 IN Y (DOUBLE)	(K) THERMO "BUS"
(C) THERMO DOTTED LANE EXTEN (W)	(L) THERMO CONE CAP-SOLID YELLOW
(C1) THERMO DOTTED LANE EXTEN (Y)	(M) THERMO CHEVRON (1':10')
(D) THERMO X-WALK-6 IN	(N) THERMO-12 IN W
(E) THERMO CROSS-HATCH (1':10')	(N1) THERMO-12 IN W (DASHED)
(F) THERMO STOP BAR-24 IN	

NOTE: PROPOSED STRIPING AND RESURFACING LIMITS SHOWN MATCH THE EXISTING EDGE OF PAVEMENT FROM THE AERIAL AND MAY NOT CONVEY ACCURATE INFORMATION. ENGINEER WILL FIELD VERIFY.




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS



DRAWING TITLE: US 25 PLAN SHEET

STA. 158+00.00 TO STA. 168+00.00




ITEM NO.

COUNTY OF
KENTON

SHEET NO.

R007




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS



DRAWING TITLE: US 25 PLAN SHEET

STA. 168+00.00 TO STA. 178+00.00



ITEM NO.	COUNTY OF KENTON
SHEET NO.	008



LEGEND	
(A) THERMO-6 IN W	(G) THERMO STR ARROW
(A1) THERMO-6 IN W (DASHED)	(H) THERMO CURV ARROW
(B) THERMO-6 IN Y	(I) THERMO COMB ARROW
(B1) THERMO-6 IN Y (SOLID+DASHED)	(J) THERMO "ONLY"
(B2) THERMO-6 IN Y (DOUBLE)	(K) THERMO "BUS"
(C) THERMO DOTTED LANE EXTEN (W)	(L) THERMO CONE CAP-SOLID YELLOW
(C1) THERMO DOTTED LANE EXTEN (Y)	(M) THERMO CHEVRON (1':10')
(D) THERMO X-WALK-6 IN	(N) THERMO-12 IN W
(E) THERMO CROSS-HATCH (1':10')	(N1) THERMO-12 IN W (DASHED)
(F) THERMO STOP BAR-24 IN	




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS




DRAWING TITLE: US 25 PLAN SHEET

STA. 178+00.00 TO STA. 188+00.00



ITEM NO.	COUNTY OF KENTON
SHEET NO.	R009

MATCHLINE STA 188+00



LEGEND	
(A) THERMO-6 IN W	(G) THERMO STR ARROW
(A1) THERMO-6 IN W (DASHED)	(H) THERMO CURV ARROW
(B) THERMO-6 IN Y	(I) THERMO COMB ARROW
(B1) THERMO-6 IN Y (SOLID+DASHED)	(J) THERMO "ONLY"
(B2) THERMO-6 IN Y (DOUBLE)	(K) THERMO "BUS"
(C) THERMO DOTTED LANE EXTEN (W)	(L) THERMO CONE CAP-SOLID YELLOW
(C1) THERMO DOTTED LANE EXTEN (Y)	(M) THERMO CHEVRON (1":10')
(D) THERMO X-WALK-6 IN	(N) THERMO-12 IN W
(E) THERMO CROSS-HATCH (1":10')	(N1) THERMO-12 IN W (DASHED)
(F) THERMO STOP BAR-24 IN	

NOTE: PROPOSED STRIPING AND RESURFACING LIMITS SHOWN MATCH THE EXISTING EDGE OF PAVEMENT FROM THE AERIAL AND MAY NOT CONVEY ACCURATE INFORMATION. ENGINEER WILL FIELD VERIFY




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS




DRAWING TITLE:

STA. 188+00.00 TO STA. 198+00.00



ITEM NO.	COUNTY OF
SHEET NO.	KENTON
R010	



For project extent: Pavement widths between 40'-43' should be striped with 10' through lanes, 12' TWLTL/LTL, and the remaining width split equally between the two shoulders (to be between 4'-5.5' each).

STRIPING BEGINS AT APPROX. MP 10.89

NOTE: PROPOSED STRIPING AND RESURFACING LIMITS SHOWN MATCH THE EXISTING EDGE OF PAVEMENT FROM THE AERIAL AND MAY NOT CONVEY ACCURATE INFORMATION. ENGINEER WILL FIELD VERIFY




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS



DRAWING TITLE: US 25

STRIPING & MARKING LAYOUT SHEET



ITEM NO.	COUNTY OF
	BOONE
SHEET NO.	
1	

MATCHLINE SHEET 1

MATCHLINE SHEET 3




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS



DRAWING TITLE: US 25

STRIPING & MARKING LAYOUT SHEET



ITEM NO.	COUNTY OF
	BOONE
SHEET NO.	
	2

MATCHLINE SHEET 2

MATCHLINE SHEET 4




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS



DRAWING TITLE: US 25

STRIPING & MARKING LAYOUT SHEET



ITEM NO.	COUNTY OF BOONE/KENTON
SHEET NO.	3



MATCHLINE SHEET 3

KENTABOO AVENUE

EASTERN AVENUE

PARK AVENUE

NOTE: PROPOSED STRIPING AND RESURFACING LIMITS SHOWN MATCH THE EXISTING EDGE OF PAVEMENT FROM THE AERIAL AND MAY NOT CONVEY ACCURATE INFORMATION. ENGINEER WILL FIELD VERIFY

MATCHLINE SHEET 5




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS



DRAWING TITLE: US 25

STRIPING & MARKING LAYOUT SHEET



ITEM NO.	COUNTY OF KENTON
SHEET NO.	4

MATCHLINE SHEET 4

MATCHLINE SHEET 6




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS



DRAWING TITLE: US 25

STRIPING & MARKING LAYOUT SHEET



ITEM NO.	COUNTY OF KENTON
SHEET NO.	5

OpenRoads Designer v10.12.03.2
FILE NAME: C:\TMP\PIWSE\ID0153883\230311_01_R_US 25 BOONE PLAN SHEETS.DGN

USER: hraj

© 2014 Microsoft Corporation © 2014 Maxar © CNES 2014 Distribution Airbus DS

MATCHLINE SHEET 5

MATCHLINE SHEET 7



NOTE: PROPOSED STRIPING AND RESURFACING LIMITS SHOWN MATCH THE EXISTING EDGE OF PAVEMENT FROM THE AERIAL AND MAY NOT CONVEY ACCURATE INFORMATION. ENGINEER WILL FIELD VERIFY.




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS



DRAWING TITLE: US 25

STRIPING & MARKING LAYOUT SHEET



ITEM NO.	COUNTY OF KENTON
SHEET NO.	6




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS




DRAWING TITLE: US 25

STRIPING & MARKING LAYOUT SHEET



ITEM NO.	COUNTY OF
SHEET NO.	KENTON
7	

MATCHLINE SHEET 7



MATCHLINE SHEET 9




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS



DRAWING TITLE: US 25

STRIPING & MARKING LAYOUT SHEET



ITEM NO.	COUNTY OF
SHEET NO.	KENTON
8	



NOTE: PROPOSED STRIPING AND RESURFACING LIMITS SHOWN MATCH THE EXISTING EDGE OF PAVEMENT FROM THE AERIAL AND MAY NOT CONVEY ACCURATE INFORMATION. ENGINEER WILL FIELD VERIFY




COMMONWEALTH OF KENTUCKY
DEPARTMENT OF HIGHWAYS



DRAWING TITLE: US 25

STRIPING & MARKING LAYOUT SHEET



ITEM NO.	COUNTY OF KENTON
SHEET NO.	9

CRESCENT AVENUE

ALICE STREET

HALLAM AVENUE

NOTE: PROPOSED STRIPING AND RESURFACING LIMITS SHOWN MATCH THE EXISTING EDGE OF PAVEMENT FROM THE AERIAL AND MAY NOT CONVEY ACCURATE INFORMATION. ENGINEER WILL FIELD VERIFY



TEAM KENTUCKY

STRIPING & MARKING LAYOUT SHEET

